




FSR inc.
244 BERGEN BLVD.
WOODLAND PARK, NJ 07424
TEL (973) 785-4347
FAX (973) 785-3318

TITLE: WB-TSC-FM-7			
DRAWN BY: JRE	DATE: 01/29/26	REV: 03	
DWG#: WB-TSC-FM-7	PAGE: 1 OF 3	SCALE: 1:3	

4


3

2

1

C

C



FOR TOUCHSCREEN LARGER THAN 6.75"W x 4.75"H

TOUCHSCREEN MAXIMUM SIZE (MOUNTING PANEL SURFACE TO COVER)

7.60"W x 6.81"H x MAX "A" .93"



MAX "A" + "B" = 2.75"

NOTE:

1. TO PREVENT DAMAGE TO TOUCHSCREEN, A MINIMUM CLEARANCE OF .25" IS REQUIRED ON ALL SIDES BETWEEN TOUCHSCREEN AND METAL COVER.
2. TOUCHSCREEN MUST BE CENTERED AFTER ANY MOUNTING BRACKET MOVEMENT.

B

B



A

A

FSR inc.

244 BERGEN BLVD.
WOODLAND PARK, NJ 07424
TEL (973) 785-4347
FAX (973) 785-3318

TITLE:

WB-TSC-FM-7

DRAWN BY: JRE	DATE: 01/29/26	REV: 03
DWG#: WB-TSC-FM-7	PAGE: 2 OF 3	SCALE: 1:3

4

3

2

1


4

3

2

1

MOUNTING PANEL
SURFACE



FOR TOUCHSCREEN SMALLER THAN 6.75"W x 4.75"H

TOUCHSCREEN MAXIMUM SIZE (MOUNTING PANEL SURFACE TO INSIDE COVER)
6.75"W x 4.75"H x MAX "A" 1.50"
MAX "A" + "B" = 3.25"

NOTE:

1. TO PREVENT DAMAGE TO TOUCHSCREEN, A MINIMUM CLEARANCE OF .25" IS REQUIRED ON ALL SIDES BETWEEN TOUCHSCREEN AND METAL COVER.
2. TOUCHSCREEN MUST BE CENTERED AFTER ANY MOUNTING BRACKET MOVEMENT.

C




C

B

B

A

A



FSR inc.
244 BERGEN BLVD.
WOODLAND PARK, NJ 07424
TEL (973) 785-4347
FAX (973) 785-3318

TITLE:

WB-TSC-FM-7

DRAWN BY: JRE	DATE: 01/29/26	REV: 03
DWG#: WB-TSC-FM-7	PAGE: 3 OF 3	SCALE: 1:3

4

3

2

1