FL-500P Floor Box





"TOOL-LESS" HINGED U-ACCESS COVER

The cable access door can be easily removed by lifting the integrated U-Access handle to quickly access the interior compartment, connectors, and cables.

- 11-gauge steel temporary construction cover included
- 11-gauge finished steel cover with choice of carpet edging
- Mitered brass or aluminum carpet edging .5" or .25" high
- Stainless steel compression latches
- Hinged full access door
- Galvanized Steel

Scrub water approved for carpet, tile, and wood floors!



DESCRIPTION_

Our FL-500P floor boxes combine rugged construction and an elegant design for use in carpet, tile, or wood covered floors over poured concrete applications. This makes it the perfect floor box for ballrooms, meeting rooms, public spaces, and high traffic areas. There is ample compartment room to accommodate power, audio, video, telecommunications, and data in one elegant and practical box.

There are a variety of covers to choose from. Options include integrated carpet edging, flat covers for non-carpeted, bare floor applications, and different finishes. The hinged section of the cover allows full access to internal connector plates and stored cables. The hinged cable exit door flips back to allow the cover to remain in place after connections are made and cables are routed through it. The 0.25" and 0.5" raised edge style and solid covers are UL scrub water approved.

The innovation continues to the "transformable" box bottom. The FL-500P's internal brackets can be arranged to provide numerous options for both high and low voltage standard gang openings, making it the most flexible and easiest to install floor box available. Removable center dividers make passing cables through the various compartments a snap. Integral "Easy Pour" leveling feet are standard on all of the boxes. Several box depths are available. The 3" through 10" deep boxes are UL listed.

The unit includes all of the necessary internal plates and brackets to make "pre" and "post" pour compartment changes quick and easy. Using this system, both high and low voltage gang configurations, along with line voltage compartment isolation, can be implemented "on the fly". This makes just about any cabling / connector scenario possible.

SPECIFICATIONS

Size:	Box: Cover:	10" x 12" x depth 10.5" x 12.5" x .125"	
Flanging:	Height: Material:	.25" or .5" Brass or Aluminum Flat and Solid Covers also available	
Max Load	EL EOOD Lin	and II Access Cover with 1/4"	
Capachies:	FL-500P Hinged U-Access Cover with 1/4" Trim: 1,300 lbs.		
	FL-500P Hinged U-Access Cover with 1/2"		

Trim: 1,500 lbs.

FL-500P solid Hinged U-Access Cover: 2,500 lbs

FIRE-RESISTANT FLOOR BOXES.

FSR also offers a line of larger Fire-Resistant floor boxes. Our FL-500P-6-FRK and FL-605P-6-FRK floor solutions expand the versatility of our floor box line by providing enhanced, fire-resistant versions of our existing products. Our FRK kits are UL listed and comply with UL 263 Fire Resistance Ratings. See Fire Rates Brochure for details.

Protect Your Connectors From Dust & Dirt



New Floor Box Gang Plate Dust Covers

See Ordering Chart For Details

PLATE CONFIGURATIONS FOR 4" THRU 10" BOX BOTTOM.

The box contains two identical brackets and either side can be configured as shown using the included parts.

Plate Configuration 1-2





Plate Configuration 3-1



Plate Configuration 4

Plate Configuration 2-2

.......


all



*Decora plates shown for reference only.


FL-500P "TRANSFORMABLE" BOX BOTTOM.

Only on 4" through 10" box bottoms.




BOX BOTTOM DETAIL DRAWINGS 4" THRU 10"_


FL-500P-4-B



FL-500P-5-B & 6-B 5" & 6" Deep



FL-500P-8-B 8" Deep



KNOCKOUT SPECIFICATIONS

FL-500P-4	
KO trade size	Qty/Box
3/4"	8
1.00" / 1-1/4" Concentric	4
1.00" / 1-1/4" / 1-1/2" Concentric	8



KNOCKOUT SPECIFICATIONS

FL-500P-5 & FL-500P-6	
KO trade size	Qty/Box
3/4"	8
1.00" / 1-1/4" / 1-1/2" Concentric	12




KNOCKOUT SPECIFICATIONS

FL-500P-8		
KO trade size	Qty/Box	
3/4"	8	
1.00" / 1-1/4" /	12	
1-1/2" Concentric		



BOX BOTTOM DETAIL DRAWINGS 4" THRU 10" (CONT'D)_____

FL-500P-10-B 10" Deep




KNOCKOUT SPECIFICATIONS

FL-500P-10		
KO trade size	Qty/Box	
3/4"	8	
1.00" / 1-1/4" / 1-1/2" Concentric	12	




BOX BOTTOM DETAIL DRAWINGS 2.5" THRU 3".



KNOCKOUT SPECIFICATIONS

FL-500P-2.25	
KO trade size	Qty/Box
1/2" / 3/4" Concentric	12

* Optional brackets available for these box bottoms. See the ordering table for more information.



KNOCKOUT SPECIFICATIONS

FL-500P-3		
KO trade size	Qty/Box	
3/4"	4	
1"	4	
3/4" / 1" Concentric	8	
1" / 1-1/4" Concentric	4	

* Optional brackets available for these box bottoms. See the ordering table for more information.

HINGED COVER DETAIL DRAWINGS.

STYLE 1

T COP DOT COD SERVANTED COD SERVAN


STYLE 3


TOR ACCESS O

10.50

7.37 COM


1.56






STYLE 2





STYLE 5



STYLE	DESCRIPTION
1	1/2" SQUARED FLANGE FOR CARPET OR TILE
2	1/4" SQUARED FLANGE FOR CARPET OR TILE
3	1/4" BEVELED FLANGE FOR CARPET
4	SOLID COVER, NO FLANGE**
5	SOLID COVER, NO FLANGE, PIANO HINGED

Additional Flange heights and colors are available. Consult factory.

**Note: Cover Shim Kit (FL-500-CSK) may be required to set the height of box "Pre-Pour" so the top of Finish Cover matches top of finished floor.

HINGE COVER OPTIONS.



Industrial carpet installed using 1/4" beveled aluminum edging on cover



Available in brass, aluminum or painted edging to compliment floor covering.

See a larger view at bit.ly/1aKZzT6 or scan this QR Code



Thick carpet installation using 1/2" brass edging on cover



1/4" painted edging with industrial carpet



The new U-Access cover design features a handle to easily lift the cover. All corner fasteners have been removed.

Not all cover color options are pictured. See the ordering table below for additional options.

Floor Box Covers and box bottom ordering information FL-500P – Requires ordering Cover and box bottom separately

Item#	Part #	Description	** Shim kits may be required.	
	UL Listed Scrub V	Vater Rated for Tile and Carpet Installations	- U-Access Covers	
18442	FL-500P-BLP-C	Hinged U-Access Cover With 1/4" Brass Carpet Fi		
18443	FL-500P-BSQ-C	Hinged U-Access Cover With 1/4" Square Brass Flange *Max Static Load 1,300 lbs.		
18444	FL-500P-B-C	Hinged U-Access Cover With 1/2" Brass Squared Flange *Max Static Load 1,500 lbs.		
18353	FL-500P-SLP-C	Hinged U-Access Cover With 1/4" Aluminum Carp	pet Flange *Max Static Load 1,300 lbs.	
18445	FL-500P-SSQ-C	Hinged U-Access Cover With 1/4" Square Aluminu	um Flange *Max Static Load 1,300 lbs.	
18446	FL-500P-S-C	Hinged U-Access Cover With 1/2" Aluminum Squa	ared Flange *Max Static Load 1,500 lbs.	
18447	FL-500P-PLP-BLK-C	Hinged U-Access Cover with 1/4" Painted Carpet	Flange Black *Max Static Load 1,300 lbs.	
17553	FL-500P-PLP-CLY-C Ltd. Stock	Hinged U-Access Cover with 1/4"Painted Carpet I	Flange - Clay *Max Static Load 1,300 lbs.	
18449	FL-500P-PLP-GRY-C	Hinged U-Access Cover with 1/4"Painted Carpet I	Flange - Gray *Max Static Load 1,300 lbs.	
	UL Lis	ted Scrub Water Rated - No Carpet Trim** – U-A	Access Covers	
18450	FL-500P-SLD-ALU-C	Hinged U-Access Aluminum Solid Cover w/ Cable	Exit (No Trim) *Max Static Load 2,500 lbs.	
18451	FL-500P-SLD-BLK-C	Hinged U-Access Black Solid w/ Cable Exit (No Tr	im) *Max Static Load 2,500 lbs.	
17557	FL-500P-SLD-CLY-C Ltd. Stock	Hinged U-Access Cover Solid Cover w/ Cable Exit	t (No Trim) Clay *Max Static Load 2,500 lbs.	
18453	FL-500P-SLD-GRY-C	Hinged U-Access Gray Solid Hinged Cover w/ Cal	ble Exit (No Trim) *Max Static Load 2,500 lbs.	
		Flat Covers (No Flange) with Hinged Door		
15075	FL-500P-BLK-C	Piano Hinge Flat Black Wrinkle Powder Coat Cove	r (No Flange)	
18153	FL-500P-PTSLV	Piano Hinge Flat Cover Silver Paint		
15526	FL-500P-SS-C	Piano Hinge Flat Stainless Steel Cover (No Flange)		
16221	FL-500P-BRS	Piano Hinge Flat Cover Brass (No Flange)		
	Box Bottom - UL	Listed on 3" throught 10" Depths - Includes Sto	eel Construction Cover	
15357	FL-500P-2.25-B	FL-500P Box Bottom - 2.5" Deep (Different Interna	al Brackets) (Not UL)	
17282	FL-500P-3-B	FL-500P Box Bottom - 3" Deep 4 x 1 - Gang Areas	S	
10064	FL-500P-4-B	FL-500P Box Bottom - 4" Deep		
18078	FL-500P-5-B	FL-500P Box Bottom - 5" Deep		
10065	FL-500P-6-B	FL-500P Box Bottom - 6" Deep		
10066	FL-500P-8-B	FL-500P Box Bottom - 8" Deep		
15984	FL-500P-10-B	FL-500P Box Bottom - 10" Deep		
		Optional Box Bottom Brackets		
55133	FL-500P-2.25-Decora	2 Decora Openings (No Divider) Replaces Blank Pl	late (2.25" Box Only)	
17298	FL-P3"-DECORA	Optional Bracket For FL-500P/600P 3" - Decora o	pening	
17299	FL-P3"-DUPLEX	Optional Bracket For FL-500P/600P 3" - Duplex opening		
17300	FL-P3"-6IPS	Optional Bracket For FL-500P/600P 3" - 6-IPS opening		
17301	FL-P3"-BLANK	Optional Bracket For FL-500P/600P 3" - Blank pla	te	
	Optional Manufacturers Specific Mounting Brackets			
99509	MMS-FL500/540P-4	Crestron DM-TX-200-C-2G Wallplate Mounting Bi		
Pour Pan Accessories				
16212	FL-GRD2	2" Grade Mounting Kit		
16213	FL-GRD4	4" Grade Mounting Kit		
	Optional Shim Kit and Accessories**			
17804	FL-500P-CSK	Temporary and Final Cover Shim Kit		
17899	FL-500P-SF8-C	Cover Mounting Bracket Kit for SF8-CVR-xxx 8	" Round cover (not included)	
18111	FL-500P-SF6-C	Cover Mounting Bracket for SF6-CVR-xxx 6" Round cover (not included)		
18667	FL-500P-DCIH	(2) Gang Plate Dust Covers For FL-500P		
	0001 _ 0111			



244 Bergen Boulevard, Woodland Park, NJ 07424 Phone: 973.998.2300 · Fax: 973.785.4207 Web: www.fsrinc.com · E-mail: sales@fsrinc.com



